

Price list of ABSONIC v2 accessories, valid until modify						05.08.2015	
Accessories are sold only along with our software							
No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - Net price (GBP)	Delivery period (days)
1	Telecommunications adapters						
2	Single-port telecommunications adapter with automatic (and manual) started recording, suitable for recording ISDN2 (BRI) phone line's voice channels; with RS232 serial connector, 3.5mm stereo sound card and USB connector to PC. Power is supplied by USB port connector or AC/DC adaptor.	ABS-ISDN S0	SAR122-07010300	139,53			10
3	Two-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, audio line-level sources. Fitted with USB connector to PC. Power is supplied by USB port connector. LEAST 10 PCS. SPECIAL ORDER#	ABS-USB-2A-v1 - 2 port USB	SAR122-07020100	93,02			60
4	Four-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, audio line-level sources. Fitted with UTP connector to the computer network. Power is supplied by AC/DC adaptor.	ABS-UTP-4A-v1 - 4 port UTP	SAR122-07020200	279,07			10
5	Eight-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, audio line-level sources. Fitted with two UTP connector to computer network. Power is supplied by AC/DC adaptor.	ABS-UTP-8A-v1 - 8 port UTP	SAR122-07020300	372,09			10

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - Net price (GBP)	Delivery period (days)
6	Two-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, professional electret microphones with 6,3mm and XLR plug, audio line-level sources. Caller and called ID detection. Fitted with USB connector to PC. Power is supplied by USB port connector.	ABS-USB-2A-v2 - 2 port USB	SAR122-07020400	139,53			10
7	Single-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, professional electret microphones with 6,3mm and XLR plug, audio line-level sources. Caller and called ID detection. Fitted with USB connector to PC. Power is supplied by USB port connector.	ABS-USB-1AF-v2 - 1 port USB	SAR122-07020900	104,65			30
8	Single-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone line. Caller and called ID detection. Fitted with USB connector to PC. Power is supplied by USB port connector.	ABS-USB-1AP-v2 - 1 port USB	SAR122-07021000	81,40			30
9	Two-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines. Caller and called ID detection. Fitted with USB connector to PC. Power is supplied by USB port connector.	ABS-USB-2AP-v2 - 2 port USB	SAR122-07021100	104,65			10

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - Net price (GBP)	Delivery period (days)
10	Two-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, professional electret microphones with 6,3mm and XLR plug, audio line-level sources. Caller and called ID detection. Fitted with one UTP connector to computer network. Power is supplied by integrated AC/DC adaptor.	ABS-UTP-2A-v2 - 2 port UTP	SAR122-07020500	151,16			10
11	Four-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, professional electret microphones with 6,3mm and XLR plug, audio line-level sources. Caller and called ID detection. Fitted with two UTP connector to computer network. Power is supplied by integrated AC/DC adaptor.	ABS-UTP-4A-v2 - 4 port UTP	SAR122-07020600	372,09			10
12	Six-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, professional electret microphones with 6,3mm and XLR plug, audio line-level sources. Caller and called ID detection. Fitted with three UTP connector to computer network. Power is supplied by integrated AC/DC adaptor.	ABS-UTP-6A-v2 - 6 port UTP	SAR122-07020700	488,37			10

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - Net price (GBP)	Delivery period (days)
13	Eight-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, professional electret microphones with 6,3mm and XLR plug, audio line-level sources. Caller and called ID detection. Fitted with four UTP connector to computer network. Power is supplied by integrated AC/DC adaptor.	ABS-UTP-8A-v2 - 8 port UTP	SAR122-07020800	604,65			10
14	Single-port telecommunications adapter with automatic and manual started recording, suitable for recording an analogue phone line. Fitted with GAME port and 3.5mm mono sound card connector to PC. Power is supplied by GAME port connector.	ABS-1A-VP-VF-T	GAR123-01010200	34,88			30
15	Single-port telecommunications adapter with voice controlled and manual started recording, suitable for recording an analogue phone line. Fitted with 3.5mm mono sound card connector to PC. Power is supplied by phone-line.	ABS-2A-VF	GAR123-01010300	23,26			30
16	Two-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines. Fitted with GAME port and 3.5mm stereo sound card connector to PC. Power is supplied by GAME port connector.	ABS-2x1AV-VP-VF-T	GAR123-01010500	58,14			10
17	Four-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines. Fitted with RS-232 serial connector to PC and two 6.3mm stereo sound card jack plug to ABS-M 4-MIDI sound card. Power is supplied by AC/DC adaptor.	ABS-4-VP-VF-T	GAR123-01010600	139,53			10

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - Net price (GBP)	Delivery period (days)
18	Eight-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines. Fitted with RS-232 serial connector to the PC and a special connector to ABS-M 8-MIDI sound card. Power is supplied by AC/DC adaptor.	ABS-8-VP-VF-T	GAR123-01010700	232,56			10
19	Single-port telecommunications adapter with voice controlled and manual started recording, suitable for recording phone's handset by means of t-branch. Fitted with 3.5mm mono sound card jack plug to PC. Power is supplied by the phone's handset connector.	ABS-4AV-KP	GAR123-01030100	23,26			10
20	Single-port telecommunications adapter with automatic and manual started recording, suitable for recording phone's handset by means of t-branch. Fitted with 3.5mm mono sound card jack plug and GAME port connector to PC. Power is supplied by GAME port connector.	ABS-3AV-KP-OF-T	GAR123-01030300	34,88			10
21	Two-port telecommunications adapter with automatic and manual started recording, suitable for recording phone's handset by means of t-branch. Fitted with 3.5mm stereo sound card jack plug and GAME port connector to PC. Power is supplied by GAME port connector.	ABS-2x3AV-KP-OF-T	GAR123-01030700	65,12			10
22	Single-port telecommunications adapter with voice controlled and manual started recording, suitable for recording a two-way radio set. Fitted with 3.5mm mono sound card jack plug and a GAME port connector to PC. Power is supplied by GAME port connector.	ABS-URH 03	GAR123-01040200	34,88			10

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - Net price (GBP)	Delivery period (days)
23	Two-port telecommunications adapter with voice controlled and manual started recording, suitable for recording two-way radio sets. Fitted with 3.5mm stereo sound card jack plug and a GAME port connector to PC. Power is supplied by GAME port connector.	ABS-2xURH (99)	GAR123-01040300	65,12			10
24	Dual-port telecommunications adapter with voice controlled, manual and automatic started recording. Suitable for recording a two-way radio set and an analogue phone line. Fitted with 3.5mm stereo sound card jack plug and a GAME port connector to PC. Power is supplied by GAME port connector.	ABS-1AV-VP-VF-T + URH	GAR123-01050100	60,47			10
25	Dual-port telecommunications adapter with voice controlled, manual and automatic started recording. Suitable for recording a two-way radio set and phone's handset by means of t-branch. Fitted with 3.5mm stereo sound card jack plug and a GAME port connector to PC. Power is supplied by GAME port connector.	ABS-3A-KP-OF-T + URH	GAR123-01050200	65,12			10
26	Dual-port telecommunications adapter with voice controlled, manual and automatic started recording. Suitable for recording an analogue phone line and phone's handset by means of t-branch. Fitted with 3.5mm stereo sound card jack plug and a GAME port connector to PC. Power is supplied by GAME port connector.	ABS-1A-VP-VF-T + 3AV-KP-OF-T	GAR123-01050500	60,47			10
27	Total net amount (GBP):						

All prices are net price, VAT is not included.