

Add-ons price list of ABSONIC v2 sound recording system, valid until modify -						05.08.2015	
(Add-ons are sold along primarily with our software)							
No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - net price (GBP)	Delivery period (days)
1	Brochures, user's guide						
2	Printed A4 user's guide, content is same as the PDF user's guide and help of the software.	ABS-UG EN	SAR122-10010000	11,63			10
3	Sound cards						
4	Internal PCI soundcards						
5	PCI-bus sound card, 4 analogue (mono) input and output, 6.3mm jack socket, without GAME port.	ABS-M 4-MIDI	AAR121-01110000	174,42			10
6	PCI-bus sound card, 8 analogue (mono) input and output with special connector socket, without GAME port.	ABS-M 8-MIDI	AAR121-01120000	279,07			10
7	PCI-bus sound card, 3.5mm stereo input and output (LINE-IN, LINE-OUT, MIC-IN) jack sockets, with GAME port.	ABS-SB compatible 5.1	AAR121-01140000	8,14			10
8	PCI-bus sound card, 3.5mm stereo input and output (LINE-IN, LINE-OUT, MIC-IN) jack sockets, without GAME port.	ABS-C Audigy SE	AAR121-01150000	16,28			10
9	PCI-bus sound card, 3.5mm stereo input and output (LINE-IN, LINE-OUT, MIC-IN) jack sockets, digital input and output (Coaxial and optical) connectors, with GAME port.	ABS-T Coax, optical SB comp 5.1	AAR121-01160000	18,60			10
10	External USB sound cards						
11	Stereo sound card, 3.5mm stereo input and output (LINE-IN, LINE-OUT, MIC-IN) jack sockets, without GAME port. Fitted with USB connector to the PC.	ABS-C USB 5.1	AAR121-01170000	37,21			10
12	Stereo sound card, 3.5mm stereo input and output (LINE-IN, LINE-OUT, MIC-IN) jack sockets, without GAME port. Fitted with USB connector to the PC.	ABS-T USB 5.1	AAR121-01180000	23,26			10
13	Single channel (stereo) soundcard* pendrive-shaped* analogue input and output (LINE-OUT, MIC-IN)* 3,5mm connctor sockets, USB connector to PC* Works without additional driver, Windows 2003 és 2008 compatible.	ABS-K USB stereo	AAR121-01200000	5,81			10

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - net price (GBP)	Delivery period (days)
14	Single channel (stereo) soundcard* pendrive-shaped* analogue input and output (LINE-OUT, MIC-IN)* 3,5mm connctor sockets, USB connector to PC* Works without additional driver, Windows 2003 és 2008 compatible* Volume contol and microphone mute buttons.	ABS-D USB stereo	AAR121-01210000	10,47			10
15	Single channel (stereo) soundcard* pendrive-shaped* analogue input and output (LINE-OUT, MIC-IN)* 3,5mm connctor sockets, USB connector to PC* Works without additional driver, Windows 2003 és 2008 compatible* Volume contol and microphone mute buttons.	ABS-EAP USB stereo	AAR121-01220000	6,98			10
16	ISDN Cards						
17	Internal dual channel ISDN2 modem card. PCI connector to PC.	ABS-FC ISDN PCI	AAR121-12020000	60,47			30
18	External dual channel ISDN2 modem, fitted with USB connector to PC.	ABS-FC ISDN USB	AAR121-12030000	65,12			10
19	Microphones and ancillaries						
20	Wired microphones						
21	High sensitivity condenser PC microphone with cardioid characteristic, 3.5 mm sound card jack plug to PC. Power supplied by sound card's microphone jack socket.	ABS-H Micro-Clip	AAR121-02010000	4,65			10
22	Small size, condenser PC microphone with cardioid characteristic, 3.5 mm sound card jack plug to PC. Power supplied by sound card's microphone jack socket.	ABS-O Stereo	AAR121-02110000	46,51			10
23	High sensitivity, omnidirectional flat microphone to be used on a surface such as wall, stage floor, table, etc. Fitted with 3.5mm jack plug to PC's sound card or pre-amlifier (mixer). Power supplied by 9V battery or sound card's microphone jack socket.	ABS-M Omnidirectional	SAR122-04010000	27,91			10

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - net price (GBP)	Delivery period (days)
24	High sensitivity, professional, omnidirectional flat microphone to be used on a surface such as wall, stage floor, table, etc. Fitted with XLR plug to pre-amplifier (mixer) or appropriate telecommunication adapter. Symmetric transformer output, 24V DC phantom power supplied by mixer or telecommunications adapter.	ABS-STL XLR microphone	AAR121-02210000	76,74			10
25	Two separate high sensitivity conference microphone in carrying case. Fitted with 3.5 mm sound card jack plug to PC's sound card. Power supplied by sound card's microphone socket.	ABS-O-Conference Set	AAR121-02140000	116,28			10
26	Adjustable characteristic conference mike, 3.5 mm jack and stand	ABS-S stereo	AAR121-02120000	79,07			10
27	Handheld dynamic mike, 6.3mm jack	ABS-M Dynamic	AAR121-02050000	23,26			10
28	Table-top microphone with massive stand, absolutely silent on-off switch and indicator light. 3 pole XLR socket, 9-50V phantom power supplied by ABSONIC telecommunications adapter or pre-amplifier (mixer) or external phantom power supply.	ABS-PS microphone	AAR121-02310000	81,40			30
29	USB microphones						
30	Professional, super sensitive USB microphone with omnidirectional, cardioid, stereo and bidirectional polar pattern and tabletop stand. Power supplied by PC's USB socket. It does not require soundcard because this device is a soundcard.	ABS-Y professional USB microphone	AAR121-02180000	97,67			30
31	Foldable, portable, small size, sensitive, USB microphone with omnidirectional and cardioid polar pattern. Power supplied by PC's USB socket. It does not require soundcard because this device is a soundcard.	ABS-Sam USB microphone	AAR121-02190000	39,53			30
32	Wireless microphones						
33	Wireless high sensitivity, small size bluetooth microphone with omnidirectional polar pattern. Power supplied by built-in Li-ion battery.	ABS-S bluetooth	AAR121-02200000	88,37			30

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - net price (GBP)	Delivery period (days)
34	Wireless handheld dynamic mike or tie-clipped wireless mike transceiver set, 6.3 mm jack	ABS-M-diversity	AAR121-02160000	111,63			30
35	Wireless omnidirectional condenser microphone with clothing clip and transceiver. Separate receiver connects to the PC's sound card or pre-amplifier (mixer) via 3.5 mm jack plug. Extra discreet size. 50m effective range. Power supplied by batteries.	ABS-S non-diversity micro-port	AAR121-02130000	81,40			10
36	Microphone add-ons						
37	Tabletop mike stand (tripod), without bracket	ABS- tabletop tripod	AAR121-02080000	3,49			10
38	Foot-type tabletop mike telescopic stand, without bracket	ABS- tabletop, telescopic	AAR121-02090000	13,95			10
39	Foot-type tabletop mike stand, without bracket	ABS-M tabletop stand	AAR121-02100000	5,81			10
40	External control devices						
41	ABSONIC GAME PORT foot-switch	ABS-A foot-switch	SAR122-02010000	65,12			10
42	USB port ABSONIC foot-switch	ABS-O foot-switch	AAR121-10030000	65,12			10
43	Wireless presentation mouse	ABS-TP presentation mouse	AAR121-10040000	34,88			30
44	Mini game pad, USB terminal	ABS-GMF game pad	AAR121-10050000	9,30			30
45	Wired control unit to control ABSONIC basic voice recording functions. The device has a built-in microphone and speaker.	ABS-P SM remote control	AAR121-05090000	127,91			10
46	Pre-amplifiers, microphone adapters, mixers						
47	4-channel mono mike mixer-amplifier with mike-level output	ABS-M 4-channel mixer	AAR121-03020000	23,26			10
48	8-channel mixer-amplifier for mikes and line-level inputs	ABS-M 8-channel mixer	AAR121-03030000	34,88			10
49	1 channel mixer-preamplifier with mike-level output	ABS-B 1-channel mixer	AAR121-03060000	34,88			30
50	Single channel, 48 volt XLR microphone-USB pre-amplifier and adapter with XLR female connector socket and USB cable to the PC's USB connector socket. Power supplied by PC's USB socket. It does not requires soundcard because this device is a soundcard.	ABS-IC XLR-USB adapter	AAR121-03070000	51,16			30

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - net price (GBP)	Delivery period (days)
51	Head-mikes, headsets						
52	RF headset for 100 m range, 3.5 mm jack terminal	ABS-S RF headset	AAR121-04100000	65,12			10
53	Wired stereo clip headset – type 1, 3.5 mm jack	ABS-P clip headset	AAR121-04180000	6,98			10
54	Wire connected audio headset, 3,5 mm jack terminals to the soundcard	ABS-H headset for soundcard	AAR121-04320000	5,81			10
55	Wired headset with DPS mike and USB terminal	ABS-P DSP headset	AAR121-04130000	60,47			30
56	Wired single-ear headset with noise cancelling mike and quick disconnect terminal	ABS-P SupraPlus single-ear headset	AAR121-04140000	51,16			30
57	Wireless Bluetooth headset and mike	ABS-M Bluetooth headset	AAR121-04120000	60,47			10
58	Wired stereo headphone with volume control* 3.5mm jack connector to the soundcard* 5m cord	ABS-SY headphone	AAR121-04240000	8,14			10
59	Wired stereo headset with volume control and USB terminal	ABS-P Premium Stereo Headset USB	AAR121-04230000	16,28			30
60	Voice volume control adapter, to adjust telephone receiver volume	ABS-P audio amplifier adapter	AAR121-04150000	74,42			30
61	Wired single-ear, or earplug headset with noise cancelling mike and adapter connected to telephone receiver terminal	ABS-P adapter headset	AAR121-04160000	74,42			30
62	Multimedia adapter for connecting analogue telephone sets, computers and head-mikes	ABS-P multimedia adapter	AAR121-04030000	81,40			10
63	Telephone set with headset and without receiver	ABS-P Telephone with headset and without receiver	AAR121-04090001	69,77			30
64	Stereo adapter cable	ABS-P stereo adapter cable	AAR121-04040000	18,60			10
65	Wireless mono headset with mono noise cancelling microphone. The base station connects to the PC with USB.	ABS-J mono wireless headset	AAR121-04200000	106,98			10
66	Monaural noise-cancelling headset for desktop telephone	ABS-P mono headset	AAR121-04270000	65,12			30
67	D=45mm black headphone foam	ABS-H headphone foam	AAR121-04280000	1,86			30

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - net price (GBP)	Delivery period (days)
68	Headset microphone windshield foam	ABS-A microphone windshield foam	AAR121-04290000	1,16			30
69	Quick disconnect - RJ6 connector converter cable	ABS-P QD converter cable	AAR121-04300000	12,79			30
70	Loudspeakers						
71	Pair of stereo loudspeakers connectible to computer, with volume control and headset terminal	ABS-G Pair of stereo loudspeakers	AAR121-13010300	10,47			10
72	Mobil telephone voice recording gadgets						
73	Voice recorder of combined ear-mounted speaker-mike, 3.5 mm jack	ABS-O speaker-mike	AAR121-14030000	20,93			10
74	Stationary mounted, single channel GSM phone terminal with analogue line connector (necessary AAR121-07010100 mains power supply)	ABS-N2 One channel GSM terminal	AAR121-15050000	74,42			30
75	Stationary mounted, single channel GSM phone terminal with analogue line connector* w/o SMS support	ABS-MTX-11 One channel GSM terminal	AAR121-15040000	76,74			30
76	Stationary mounted, four channel GSM phone terminal adapter with four analogue line connector and external antenne.	ABS-MTX-44 Four channel GSM terminal adapter	AAR121-15030000	348,84			30
77	Mobil phone headset-audio PCB converter cable for mobile phone recorder cables	ABS-A mobile phone recorder adapter cable, version 2	SAR122-06010000	16,28			10
78	Voice recorder headset for Nokia-make phones with HDC-9P connector	ABS-N mobile phone recorder cable, type 1	SAR122-06030000	16,28			10
79	Voice recorder headset for Nokia-make phones with HDC-5 connector	ABS-N mobile phone recorder cable, type 2	SAR122-06040000	16,28			10
80	Voice recorder headset for Motorola-make (universal) phones with 3.5mm jack	ABS-M universal mobile phone recorder cable	SAR122-06050000	16,28			10
81	Voice recorder headset for Sony-Ericsson -make mobile phones	ABS-SE mobile phone recorder cable	SAR122-06080000	16,28			10
82	Voice recorder headset for Nokia-make phones with 3.5mm jack connector	ABS-NK 3.5 phone recorder cable	SAR122-06090000	16,28			10
83	Power Supplies						

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - net price (GBP)	Delivery period (days)
84	Mains power supplies						
85	Unregulated PS, voltage adjustable between 3 and 12 V, 500 mA load. Type 1	ABS- Unregulated PS 500mA 3-12V	AAR121-07010100	4,19			10
86	Regulated PS, voltage adjustable between 3 and 12 V, 1.4 A load. Type 2	ABS-S Regulated PS 1,4A 3-12V	AAR121-07010800	5,12			30
87	Filtered PS, voltage adjustable between 3 and 12 V, 300 mA load for mixers and preamplifiers	ABS-M Filtered PS for mixers 300mA 1,5-12V	AAR121-07011100	6,98			10
88	Four channel mike and mixer PS, voltage adjustable between 1.2 and 11 V	ABS-MPS4 mike PS	SAR122-01010200	34,88			10
89	USB ancillaries, gadgets						
90	USB-serial port converter cable	ABS-USB serial adapter	AAR121-05050000	11,63			10
91	USB A-A cable 1,5m	ABS-A-A cable	AAR121-05080000	1,16			10
92	4 port, USB router (HUB) for active / passive mode	ABS-USB HUB 4 port active	AAR121-05100000	11,63			10
93	USB- game port adapter	ABS-USB-GAMEPORT adapter	AAR121-05110000	13,95			10
94	2 meter USB A-B cable	ABS-USB-A-B 2m	AAR121-05120000	1,40			10
95	Eight-in-one PCB reader	ABS-T 2xUSB 8in1 PCB reader	AAR121-05130000	16,28			30
96	Wireless 4 port USB router	ABS-WUSB HUB 4 port active	AAR121-05140000	93,02			10
97	USB Bluetooth 2.0 adapter - miniature	ABS-BT adapter mini	AAR121-05150100	4,65			10
98	Adapter terminals						
99	3,5 jack socket - 6,3 stereo plug metal terminal adapter	ABS-3,5 jack socket - 6,3 stereo plug metal terminal adapter	AAR121-08040000	2,33			10
100	3,5 jack socket - 6,3 mono plug terminal adapter	ABS-3,5 jack socket - 6,3 mono plug adapter	AAR121-08050000	1,16			10
101	3,5 jack socket – RCA plug terminal adapter	ABS-3,5 jack socket - RCA plug adapter	AAR121-08060000	1,16			10
102	6,3 - 3,5 jack stereo terminal adapter	ABS-6,3 - 3,5 jack stereo adapter	AAR121-08070000	1,16			30

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - net price (GBP)	Delivery period (days)
103	3,5 jack socket – 6,3 stereo plug plastic terminal adapter	ABS-3,5 jack socket - 6,3 stereo plug plastic adapter	AAR121-08080000	1,16			10
104	2 x 3,5 jack socket – 3,5 jack plug terminal adapter (Y junction)	ABS-2 x 3,5 jack socket - 3,5 jack plug (Y junction)	AAR121-08090000	1,16			10
105	Cables						
106	8-line analogue hard-line telephone adapter special audio PCB terminal adapter for 4-channel audio card	ABS-M 4 channel adapter cable	GAR123-02050000	11,63			10
107	Adapter cable, facilitating 3V mike connection to XLR socket	ABS-X 3,5mm microphone adapter cable for power-out	AAR121-08090000	13,95			10
108	3,5mm-es, stereo relay cable with gilt plug, 2m	ABS-H 3,5mm stereo jack terminal cable, gilt	AAR121-09010000	2,33			10
109	3,5mm-es stereo relay cable 1,5m	ABS-Audio cable (3,5 stereo jack 1,5m) terminal cable	AAR121-09020000	1,16			10
110	6,3mm-es mono relay cable 0,6m	ABS-Audio terminal cable (6,3 mono jack)	AAR121-09030000	1,86			10
111	Audio extension cable 3,5mm jack socket 3,5mm plug 5m	ABS-Audio cable 3,5mm jack socket 3,5mm plug 5m	AAR121-09040000	1,86			10
112	Audio cable 3,5mm stereo jack to jack 5m	ABS-Audio relay cable 3,5mm jack to jack 5m	AAR121-09060000	4,65			10
113	Carrier bag for ABSONIC components and ancillaries						
114	Aluminium bag - type 1. 435 x 293 x 122mm	ABS-Alu bag 435 x 293 x122	AAR121-11070100	23,26			10
115	Voice recognition software						

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - net price (GBP)	Delivery period (days)
116	Multi-language voice recognition software for voice controlling the ABSONIC basic functions (English, Australian English, Asian English, Indian English, UK English, Dutch, French, German, Italian, Japan, Spanish)	ABS-DNS voice recognizer	AAR121-16010100	139,53			30
117	Voice recorder softwares for mobile phone						
118	Voice recorder software for Symbian mobile phone with Dictaphone function	ABS-BD mobile phone voice recorder software	AAR121-16020200	34,88			10
119	Automatic voice recorder software for Symbian S60, 3rd, mobile phone	ABS-BCR mobile phone voice recorder software	AAR121-16020300	23,26			10
120	Audio record processing software						
121	Sound Forge 9 audio record processing software	ABS-SNF professional audio processing software	AAR121-16030100	186,05			30
122	Remote control softwares						
123	ABSONIC remote control software, to replace remote located table	ABS-PAW remote control software	AAR121-16040100	174,42			30
124	Bluetooth software						
125	BlueSoleil v8.0 Bluetooth Windows software	ABS-BT Bluesoleil software	AAR121-16050100	13,95			10
126	Control cards						
127	Four port (Dsub9) RS232 serial I/O card, PCI terminals	ABS-PCI-4xRS232 serial card	AAR121-17010000	34,88			10
128	Accessories for telephone lines						
129	Stand-alone auto attendant and answering unit for telephone calls (DISA). It detects an incoming fax tone, can handle 4 incoming calls and 256 stations.	ABS-MTX-AA auto attendant and DISA	AAR121-15020000	174,42			30
130	External storages for recordings						
131	Aluminium finish USB external Hard Disk* without power supply* 500 GB capacity* 2,5 inch size* USB and eSATA sockets to the PC	ABS-A- 2,5 external HDD 500GB	AAR121-18110000	60,47			30

No.	Short description	Product denomination	Part number	Net price (GBP)	Qty.	Total amount - net price (GBP)	Delivery period (days)
132	USB external Hard Disk* with power supply* 1 TB capacity* 3,5 inch size* USB and socket to the PC	ABS-W- 3,5 external HDD 1TB	AAR121-18080000	74,42			30
133	USB external Hard Disk* with power supply* 2 TB capacity* 3,5 inch size* USB and socket to the PC	ABS-W- 3,5 external HDD 2TB	AAR121-18090000	97,67			30
134	Computer data storage connects to a computer network* 2 x 2 TB capacity Hard disk* data storage with double safety* USB sockets to the PC	ABS-S-NAS-RAID	AAR121-18100000	183,72			30
135	Portable digital voice recorders	0	0	0,00			0
136	Portable digital voice recorder* microphone input* MP3 recording* 2GB internal memory* expandable memory with microSD card* USB flash drive function* 500 hours / 2GB	ABS-O-811 voice recorder	AAR121-19020000	58,14			30
137	Total net amount (GBP):						

All prices are net prices, VAT is not included.